

# RENOLIT ALKORPLAN2000/3000/TOUCH/CERAMICS

Reinforced pool membrane for on site lining




Make your swimming pool fashionable



If you want an attractive pool that will give you no problems, **RENOLIT** ALKORPLAN reinforced liner is the perfect product to achieve this

**Reinforced membranes** are the most widely-used pool liners in the world

We offer you the pool of your dreams



With **RENOLIT** ALKORPLAN this won't happen ...!

# Minimum maintenance... and very easy to clean!


No more detached mosaic tiles. No more black joints. No more flaking paintwork.

No matter what your garden looks like RENOLIT ALKORPLAN allows you to create an unique, customised area just for you.

**GUARANTEE** 

WATERTIGHTNESS

YEARS



**RENOLIT** ALKORPLAN is the only reinforced liner that can guarantee the waterproofing of your pool, regardless of its location.

GUARANTEE WATERTIGHTNESS

YEARS

**RENOLIT** ALKORPLAN allows you to enjoy your pool in peace, without worrying about leaks.

Compatible with almost any material!

12244

141

3 RENOLIT ALKORPLAN



**RENOLIT ALKORPLAN** is the perfect liner for rooftop pools, basement pools or in any place where there are cracks or micro pores that could cause damp, water leaks or flooding.

The perfect solution for large pools

> The ideal lining for both commercial and residential pools





Many hotel pools, Olympic pools or aquatic park pools in Europe have RENOLIT ALKORPLAN liners installed in them, as apart from requiring minimum maintenance, they guarantee complete water-tightness and it is possible to install them in half the time it takes to install other systems.

- It can be installed on any surface.
- Clean installation, with no noise and in half the time it takes to install other liners.
- It requires practically no maintenance.
- No matter the size and shape of the pool.

Although the installation of RENOLIT ALKORPLAN is fast and easy, it should always be installed by qualified professionals to ensure a completely watertight finish.



If you have any questions or need more information, please contact us at <u>www.alkorplan.info</u>





RENOLIT ALKORPLAN 10

# Reinforced membrane ranges for all tastes ...



	White	Sand	Light Blue	Adriatic Blue
1.65 m	35216202	35216210	35216205	35216203
2.05 m	35216201	35216211	35216208	35216207
1.65 m Non-Slip	81116501	81116505	81116504	81116502
Inish	3	~		7
	Caribbean	Light Grey	Dark Grev	

35216204 35216236 35216206 35216233 81122607

EN71-3





RENOL	IT ALKORPLAN2000	Width	Thickness	Ref.
White		1.65 m	1.5 mm	35216202
White		2.05 m	1.5 mm	35216201
White	Non-Slip	1.65 m	1.8 mm	81116501

Pools that are crystal clear, luminous, fresh, and always elegant, to allow you to enjoy the sun and the summer.



RENOLIT ALKORPLAN2000	Width	Thickness	Ref.
Sand	1.65 m	1.5 mm	35216210
Sand	2.05 m	1.5 mm	35216211
Sand Non-Slip	1.65 m	1.8 mm	81116505


Relax in your crystal clear, lukewarm pool as if you were on an exotic, remote, tropical beach.



RENOLIT ALKORPLAN2000	Width	Thickness	Ref.
Light Blue	1.65 m	1.5 mm	35216205
Light Blue	2.05 m	1.5 mm	35216208
Light Blue Non-Slip	1.65 m	1.8 mm	81116504

Eternal pools filled with light, colour and joy in which to enjoy memorable moments.

# **RENOLIT** ALKORPLAN2000 Adriatic Blue



RENOLIT ALKORPLAN2000	Width	Thickness	Ref.
Adriatic Blue	1.65 m	1.5 mm	35216203
Adriatic Blue	2.05 m	1.5 mm	35216207
Adriatic Blue Non-Slip	1.65 m	1.8 mm	81116502

The deep blue of the Mediterranean in colourful, effervescent pools for making the most of the summer.





RENOLIT ALKORPLAN2000	Width	Thickness	Ref.
Caribbean Green			35216204
Caribbean Green	2.05 m		35216206
Caribbean Green Non-Slip	1.65 m		81116203

Exotic pools, with crystal clear Caribbean like waters that invite you to break with routine and stress.



RENOLIT ALKORPLAN2000	Width	Thickness	Ref.
Light Grey	1.65 m	1.5 mm	35216236
Light Grey	2.05 m	1.5 mm	35216233
Light Grey Non-Slip	1.65 m	1.8 mm	81116506

Cosmopolitan minimalist and extremely beautiful pools that will never go out of fashion.

# **RENOLIT** ALKORPLAN2000 Dark Grey



RENOLIT ALKORPLAN2000	Width	Thickness	Ref.
Dark Grey	1.65 m	1.5 mm	35216327
Dark Grey	2.05 m	1.5 mm	35216326
Dark Grey Non-Slip	1.65 m	1.8 mm	81122607

*Elegant, sensual and eternal pools that will add a note of prestige and beauty to your garden.* 





RENOLIT ALKORPLAN3000 Width Thickness Ref. 1.65 m 1.5 mm 35417217 Persia Blue Persia Blue Non-Slip 1.65 m 1.8 mm 8112231

Classic pools that always look good are always the best choice.





RENOLIT ALKORPLAN3000 Width Thickness Ref 3541722 Persia Sand 1.65 m 1.5 mm

Pools with soft, elegant colours that give off light and harmony, making bathing a treat for the senses.



RENOLIT ALKORPLAN3000 Width Thickness Ref. 1.65 m 1.5 mm 35417214 arrara 1.65 m 1.8 mm 81122314 rrara Non-S

Happy pools with bluish tones and elegant prints, perfect for pool shells with irregular shapes or those with flaws.






NOLIT ALKORPLAN3000 Width Thickness Ref. 354172 1.65 m

Deep blue pools with spectacular glints that attract all gazes, making bathing a pleasure.



	1000		
RENOLIT ALKORPLAN3000	Width	Thickness	Ref.
Bysance Blue	1.65 m	1.5 mm	35417209
Bysance Blue Non-Slip	1.65 m	1.8 mm	81122309

Elegant, distinguished pools that invite you to bathe in them, transmit wellbeing and never go out of fashion.



RENOLIT ALKORPLAN3000	Width	Thickness	Ref.
Platinum	1.65 m	1.5 mm	35417402

Pools with modern, spectacular designs, with brilliant glints, that will be the most prized jewel in your garden.

# No detached tiles or crumbling grouting!!

Ideal for new pools and for renovations! It is installed over the existing substrate in half of the time than other linings.

It guarantees the watertightness for 10 years with minimal maintenance!





**RENOLIT** ALKORPLAN CERAMICS, a 2mm embossed pool liner for swimming pools with the aesthetic appeal and texture of the mosaic tiled designs of Greek Myths.

With the most careful aesthetics and with many advantages over any existing pool liner in the market:

1 Guaranteed watertight. Quick and easy installation compared to glass mosaic tiling. No fallen tiles or crumbling grout. Minimum maintenance. The 2mm thickness creates a more durable and resilient membrane. 6 Easy to weld with an immaculate finish.



# **RENOLIT** ALKORPLAN CERAMICS Selene





RENOLIT ALKORPLAN CERAMICSWidthThicknessRef.Selene1.65 m2 mm35617203

Selene, moon white, will captivate those who contemplate its celestial waters as the colour of the sky on a summer day.







**FETRA** 

RENOLIT ALKORPLAN CERAMICS Width Thickness Ref. 1.65 m 2 mm 35617204 Etn:

With sober and elegant nuances, Etna makes the pools spectacular and formidable.







Of a totally new colour in the world of swimming pools, it offers a delicate and subtle turquoise spectacle.







RENOLIT ALKORPLAN CERAMICS Width Thickness Ref.

Of an intense blue, so warm, so deep and so ours. Atenea gives the water a shine and a unique hue.


# RENOLIT ALKORPLAN

# Reinforced liner with exclusive 3D designs and prints, inspired by nature.

**RENOLIT** ALKORPLAN TOUCH reinforced membrane reproduces natural textures and gives personality and character to pool linings, making them unique and original.

It's the pool liner revolution!

Elegance



# RENOLIT ALKORPLAN

# Are you aware of RENOLIT ALKORPLAN TOUCH?



The reinforced membrane **RENOLIT** ALKORPLAN TOUCH fulfills the two fundamental objectives of a swimming pool:

- 1 Assure a completely watertight structure.
- 2 The most beautiful finish possible.

The reinforced membrane is the most visible element and will make your pool absolutely unique and exclusive.

**RENOLIT** ALKORPLAN TOUCH protects your garden and home against possible flooding by pool water. Even if the substructure is cracked, the water will always remain where it should be ... in the pool.

In addition, the relief designs of **RENOLIT** ALKORPLAN TOUCH give character to any pool and allow you to create a unique and individual space in your garden.

# **RENOLIT ALKORPLAN** TOUCH





# Reinforced liner with exclusive 3D designs and prints, inspired by nature

You will turn your home into a haven of design and character

**RENOLIT ALKORPLAN TOUCH** is the first reinforced membrane with a heavily riven stone finish. At 2mm thick it is the strongest and most resistant liner in the market. The imaginative design of the liner makes it the most appropriate element for adding a personal note to your pool and making your home a unique place. The TOUCH liners emulate nature through adding a simulated stone finish to exotic baths, adding personality and singularity to the pools in which they are used, making each pool unique.

# You will have a unique and exclusive pool!






RENOLIT ALKORPLAN TOUCH Width Thickness Ref.


Rustic pools with exquisite stone textures, creating different tones in the water, brilliant and colourful, perfect for natural settings or country gardens.

# RENOLIT ALKORPLAN TOUCH Relax




Sensual, exotic pools with golden sand and brilliant turquoise reflections, that will take you to the remote beaches of the Caribbean.





RENOLIT ALKORPLAN TOUCH	Width	Thickness	Ref.
Elegance	1.65 m	2 mm	35517301
Elegance Non-Slip	1.65 m	1.8 mm	81122401

Luxurious, seductive, unique pools in deep blue tones that will captivate you at first sight and turn your home into an elegant palace.



Spectacular, ostentatious white Marble Swimming Pools that will be the Pride of the Owners.



RENOLIT ALKORPLAN TOUCH	Width	Thickness	Ref.	S.P
Sublime	1.65 m	2 mm	35517407	

Imitative of travertine limestone that creates pools with warm reflections ideal for exclusive and naturalist settings.



RENOLIT ALKORPLAN TOUCH Width Thickness Ref. 2 mm 35517403 1.65 m Presti

A liner that creates a pool which invokes a volcanic rock paradise, conceived for designer and minimalist settings. **RENOLIT** recommends to practice the Butt Welding on the pool floor on **TOUCH** and **CERAMICS** membranes for an impeccable finish of your pool.

Aesthetically, especially in swimming pools made with **RENOLIT ALKORPLAN TOUCH** or **RENOLIT ALKORPLAN CERAMICS** membranes with Butt welding in the pool floor, the welds become practically invisible.

# NOT ALL GEOTEXTILES ARE THE SAME!!

 Swimming pool without

 Swimming pool without

 Sutt welding nor geotextile.

By day and with moving water, the welds cannot be seen.

Swimming pool without Butt welding nor geotextile.

> If this swimming pool had been installed with the butt welding system, the joints of the pool floor would have remained invisible.

The RENOLIT ALKORPLAN geotextile is one of the essential elements for the butt welding.

**RENOLIT** ALKORPLAN geotextile is an exclusive **RENOLIT** fungicide felt that is installed under the membrane to protect it from any irregularities that the surface of the pool may have and make the bathers steps more comfortable.

# **NOT** ALL GEOTEXTILES ARE THE SAME!!

**RENOLIT ALKORPLUS** geotextile is made of blue polypropylene, which is rot-proof, and always marked with the **RENOLIT ALKORPLUS** brand.

## Advantages:

- 1 The fungicide treatment prevents the proliferation of bacteria under the membrane.
- 2 The geotextile disguises any small imperfection that may exist in the structure of the substrate under the membrane.
- 3 Adds a much more comfortable feel for the bather.
- 4 Helps to maintain the temperature of the pool water.

5 Plays a key role in the butt welding system.



Reference	Width (m)
81006005	1.50 *
81006006	1.65
81006007	2.00

\*Specific for butt welding.

# Advice for conserving your **RENOLIT** ALKORPLAN liner



# Carry out a daily test to ensure the the chlorine level is 1ppm and that the pH is between 7.0-7.6

If you disinfect your swimming pool with chlorine or with a salt electrolysis machine it is essential than the level of the chlorine is 1ppm and the pH level is between 7.0 and 7.6.

If you disinfect with bromide the level should be 1ppm and the pH level between



# 7 and 8. Excessive use of bromide can cause the liner to become brown in colour.



## If the pool has a salt chlorinator you must add stabilizer at the beginning of the season

The chlorine generated by the saline electro chlorinator is stronger than normal chlorine.

To dilute add 30ppm of a isocyanuric acid stabilizer at the beginning of the swimming pool season and check daily that level of chlorine at 1ppm and the pH between 7.0 and 7.6.

If your saline electro chlorinator does not have a RedOx cholrine controller you should use a measuring guage. Even if your pool is equipped with an automatic Redox control it is necessary to manually check the chlorine on a very regular basis (daily).

This prevents the chlorinator producing more chlorine than neccesary, which could bleach the liner and irritate eyes.



# It is necessary that the TA level is maintained between 100 and 175ppm

TA (total alkalinity) represents the water's capacity for neutralising acids. A balanced TA level keeps pH from fluctuating and getting out of control. A TA level under 100 ppm turns water corrosive. Damage to the liner would be irreversible.

We recommend checking the PA level weekly or after rainfall.



## Protect your swimming pool in summer and winter and do not empty it


Swimming pools are built to be full of water. They should not be left empty for long periods of time.

In the summer keep the water level constant.

In winter protect skimmers and filter systems against frost. Ask a pool specialist for the best winter treatment to keep the water in perfect condition the following season. Above all cover the swimming pool in winter.



# Water from wells, or of unknown origin should be analysed and, if necessary, treated before it is used to fill or top up the pool



These minerals can react with the chemical products and produce stains on the liner. If this happens ask a specialist to carry out a treatment with **RENOLIT ALKORPLUS Antistain**.

## No chemical products should come into direct contact with the liner

The correct and safest way of introducing any chemical product into the swimming pool is by using the skimmer with the circulation pump working.

If it is powder, granules or liquid and it is required to be put directly into the swimming pool, it must be diluted before in a bucket of water, and poured into different areas of the swimming pool. The circulation pump must always be in use to prevent concentration of a product in one area.

Avoid the use of floating dispensers because they can spend too much time in the same position and can bleach the liner.

# Do not use chemical products which contain copper

Always read the level of the composition of the chemical products that you use, especially those for algae. Some anti-algae products contain copper sulphate, these should be avoided. Use anti- algae with a guaternary ammonia base. These are the best products for your hair and your skin. If by accident you have used a product containing

copper, you should apply RENOLIT ALKORPLUS Antistain.

# Avoid a build up of dirt and calcareous deposits on the waterline

The lacquer that protects the RENOLIT ALKORPLAN laminate will repel dirt; however, low maintenance and high bathing loads will accelerate the build up of waterline deposits.

Regular cleaning of the waterline with RENOLIT ALKORCLEAN applied with a sponge or cloth will prevent the build up of grease and scale and avoid permanent staining.

# Never use abrasive tools or aggressive cleaning products

Do not use aggressive chemical products or cleaning equipment, such as solvents; brushes with wire or stiff bristles; and abrasive pads or cloths that will damage the membrane. The liner is coated with a protective lacquer which is stain and dirt resistant, however it may be damaged if cleaned with abrasive materials or solvents.

RENOLIT ALKORCLEAN is an ideal and efficient cleaner for your liner. It may be ordered though your Swimming Pool Specialist.























RENOLIT Belgium N.V. Industriepark De Bruwaan 43 9700 Oudenaarde – Belgium Phone: +32 55 33 98 14 Fax: +32 55 31 86 58 e-mail: renolit.belgium@renolit.com

RENOLIT Nordic A/S Naverland 31 2600 Glostrup – Denmark Phone: +45 43 64 46 33 Fax: +45 43 64 46 38 e-mail: renolit.nordic@renolit.com

RENOLIT France SASU Roissypôle – Le Dôme 5 rue de la Haye – BP 10943 95733 Roissy CDG Cedex – France Phone: +33 141 84 30 26 Fax: +33 149 47 07 39 e-mail: renolitfrance-piscine@renolit.com

RENOLIT SE, Germany Horchheimer Str. 50 67547 Worms Phone: +49 6241 268039-0 e-mail: schwimmbad@renolit.com

RENOLIT Magyarország Kft. Hegyalja út 7–13 1016 Budapest – Hungary Phone: +36 1 457 81 64 Fax: +36 1 457 81 60 e-mail: renolit.hungary@renolit.com

OOO RENOLIT-Rus, Russia BP "Rumyantsevo" block V, office 414 V Kievskoye shosse 22 km, pos. Moskovskiy, h.4, bld. 2 108811 Moscow Phone: +7 495 995 1615 Fax:+7 495 995 1614 e-mail: info@renolit.ru

RENOLIT ISTANBUL Ağaoğlu My Office İş Merkezi Barbaros Mah. Çiğdem Sok. No:1 Kat: 5 Daire: 24 34746 Ataşehir İstanbul Office: +90 216 688 42 90/91/92 Fax: +90 216 688 42 93 e-mail: burak.karaagac@renolit.com

This document substitutes and annuls any other that has been previously published on the same subject.

The colours shown in this catalogue can vary from the original. RENOLIT reserves the right to change colours and designs. RENOLIT Italia srl Via Uruguay 85 35127 Padova – Italy Phone: +39 049 099 47 22 Fax: +39 049 870 05 50 e-mail: renolit.italia@renolit.com

RENOLIT Polska sp. z o.o. ul. Szeligowska 46 – Szeligi 05–850 Ozarów Mazowiecki – Poland Phone: +48 22 722 30 87 Fax: +48 22 722 47 20 e-mail: renolit.polska@renolit.com

RENOLIT Portugal, unipessoal, Lda. Parque Industrial dos Salgados da Póvoa Apartado 101 2626-909 Póvoa de Santa Iria - Portugal Phone: +351 219 568 306 Fax: +351 219 568 315 e-mail: renolit.portugal@renolit.com

RENOLIT Ibérica, S.A. (SPAIN & EXPORT) Ctra. del Montnegre, s/n 08470 Sant Celoni (Barcelona) – Spain Phone: SPAIN: +34 93 848 42 08 Phone: ExPORT: +34 938 48 42 40 Fax: +34 93 867 55 17 e-mail: piscinas@renolit.com

RENOLIT Ibérica, S.A. (Andalucía) Calle Progreso nº 8 11130 Chiclana de la Frontera (Cádiz) – Spain Phone: +34 956 71 19 39 e-mail: piscinas@renolit.com

UK sales RENOLIT Ibérica s.A. c/o G.G. Tomkinson Ltd. The Willows, Pattenden Lane Marden, Kent TN12 9QJ – UK Phone: +44 7387 158288 e-mail: Jb@jbinlimbo.co.uk

RENOLIT India PVT.LTD. 9, Vatika Business Centre,Vatika Atrium, III Floor, Block-B, Sector 53, Golf Course Road, Gurgaon 122002 – India Phone : + 91 124 4311267 Fax : + 91 124 4311100 e-mail: alok.marwaha@renolit.com



nn n

www.renolit.com/waterproofing-swimmingpool www.alkorplan.info www.renolit-alkorplan-touch.com

02-20